**COCONUT CREAM** 

000




Cho

C



## KÄHRS LIFE COLLECTION

The Life Collection features a range of wide plank, narrow plank, and 2-strip floors, in trendy colors ranging from light to dark. Made for everything from home installs to commercial use, these floors provide the best of both worlds: a beautiful hardwood floor with properties close to LVT all at a cost-conscious price point.







6

(C

COMMERCIAL FINISH

# 15 YEAR RESIDENTIAL WARRANTY 5 YEAR COMMERCIAL WARRANTY

WATERPROOF\*

IMPACT SOUND REDUCTION

\*Under conditions specified in the Kährs Life Warranty.







Design:	Wide Plank, Narrow Plank, & Strip
Features:	Oak; Stained; Micro Beveled Edges Designs; Square Edges on 2-Strip D
Surface Treatment:	Commercial Grade Matte Finish (UV-Cured Acrylic)
Wear Layer:	Approx. 0.6mm
Grading:	Calm
Joint:	Woodloc <sup>®</sup> 5G
Guarantee:	15 Year Residential 5 Year Commercial
Installation:	Float, Glue-down
$\overline{T}$	

This product may be floated over radiant heat.

	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Wide Plank	71 1/4"	5 7/8"	1/4"	12	35.069ft <sup>2</sup>	44lbs	54	16
B. *2-Strip	48 1/4"	7 5/8"	1/4"	12	30.483ft <sup>2</sup>	40lbs	40	24
C. Narrow Plank	48 1/4"	4 5/8"	1/4"	12	18.730ft <sup>2</sup>	24lbs	60	28

High-grade veneer surface layer.




www.kahrs.com

## COCONUT CREAM

Wide Plank: LTCLRW3001-150 Narrow Plank: LTCLRW3001-118 \*2-Strip: LTCLRW3001-193













Design:	Wide Plank, Narrow Plank, & Strip
Features:	Oak; Stained; Micro Beveled Edges Designs; Square Edges on 2-Strip D
Surface Treatment:	Commercial Grade Matte Finish (UV-Cured Acrylic)
Wear Layer:	Approx. 0.6mm
Grading:	Calm
Joint:	Woodloc <sup>®</sup> 5G
Guarantee:	15 Year Residential 5 Year Commercial
Installation:	Float, Glue-down
This was also at	may be fleated aver rediant best

This product may be floated over radiant heat.

	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Wide Plank	71 1/4"	5 7/8"	1/4"	12	35.069ft <sup>2</sup>	44lbs	54	16
B. *2-Strip	48 1/4"	7 5/8"	1/4"	12	30.483ft <sup>2</sup>	40lbs	40	24
C. *Narrow Plan	k 48 1/4"	4 5/8"	1/4"	12	18.730ft <sup>2</sup>	24lbs	60	28



High-grade veneer surface layer.




www.kahrs.com

## LIGHT SUEDE

Options es on Plank Designs

Wide Plank: LTCLRW3002-150 \*Narrow Plank: LTCLRW3002-118 \*2-Strip: LTCLRW3002-193









Design:	Wide Plank, Narrow Plank, & Strip (				
Features:	Oak; Micro Beveled Edges on Plank Square Edges on 2-Strip Designs				
Surface Treatment:	Commercial Grade Matte Finish (UV-Cured Acrylic)				
Wear Layer:	Approx. 0.6mm				
Grading:	Calm				
Joint:	Woodloc <sup>®</sup> 5G				
Guarantee:	15 Year Residential 5 Year Commercial				
Installation:	Float, Glue-down				
This product may be floated over radiant heat.					

	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Wide Plank	71 1/4"	5 7/8"	1/4"	12	35.069ft <sup>2</sup>	44lbs	54	16
B. *2-Strip	48 1/4"	7 5/8"	1/4"	12	30.483ft <sup>2</sup>	40lbs	40	24
C. Narrow Plank	48 1/4"	4 5/8"	1/4"	12	18.730ft <sup>2</sup>	24lbs	60	28

3-Layer Construction: High-grade veneer surface layer.




www.kahrs.com

## PURE OAK

Wide Plank: LTCLRW3003-150 Narrow Plank: LTCLRW3003-118 \*2-Strip: LTCLRW3003-193

Options nk Designs;



\*Special Order



HDF middle layer.

Wood veneer bottom layer.

CLICK TO RETURN TO TABLE OF CONTENTS








Design:	Wide Plank, Narrow Plank, & Str
Features:	Oak; Stained; Micro Beveled Edg Plank Designs; Square Edges on Designs
Surface Treatment:	Commercial Grade Matte Finish (UV-Cured Acrylic)
Wear Layer:	Approx. 0.6mm
Grading:	Calm
Joint:	Woodloc <sup>®</sup> 5G
Guarantee:	15 Year Residential 5 Year Commercial
Installation:	Float, Glue-down
<del></del>	

This product may be floated over radiant heat.

	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Wide Plank	71 1/4"	5 7/8"	1/4"	12	35.069ft <sup>2</sup>	44lbs	54	16
B. *2-Strip	48 1/4"	7 5/8"	1/4"	12	30.483ft <sup>2</sup>	40lbs	40	24
C. Narrow Plank	48 1/4"	4 5/8"	1/4"	12	18.730ft <sup>2</sup>	24lbs	60	28




High-grade veneer surface layer.



## WHOLE GRAIN

rip Options dges on n 2-Strip

Wide Plank: LTCLRW3004-150 Narrow Plank: LTCLRW3004-118 \*2-Strip: LTCLRW3004-193



\*Special Order








Design:	Wide Plank, Narrow Plank, & Strip (			
Features:	Oak; Stained; Micro Beveled Edges Designs;			
Surface Treatment:	Commercial Grade Matte Finish (UV-Cured Acrylic)			
Wear Layer:	Approx. 0.6mm			
Grading:	Calm			
Joint:	Woodloc <sup>®</sup> 5G			
Guarantee:	15 Year Residential 5 Year Commercial			
Installation:	Float, Glue-down			
This product may be floated over radiant heat.				

	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Wide Plank	71 1/4"	5 7/8"	1/4"	12	35.069ft <sup>2</sup>	44lbs	54	16
B. *2-Strip	48 1/4"	7 5/8"	1/4"	12	30.483ft <sup>2</sup>	40lbs	40	24
C. Narrow Plank	48 1/4"	4 5/8"	1/4"	12	18.730ft <sup>2</sup>	24lbs	60	28






www.kahrs.com

## DRIFTWOOD

o Options s on Plank

Wide Plank: LTCLRW3005-150 Narrow Plank: LTCLRW3005-118 \*2-Strip: LTCLRW3005-193



# LIFE COLLECTION | EARL GREY | WIDE PLANK





## LIFE COLLECTION

Design:	Wide Plank, Narrow Plank, & Strip C
Features:	Oak; Stained; Micro Beveled Edges Designs; Square Edges on Strip Des
Surface Treatment:	Commercial Grade Matte Finish (UV-Cured Acrylic)
Wear Layer:	Approx. 0.6mm
Grading:	Calm
Joint:	Woodloc <sup>®</sup> 5G
Guarantee:	15 Year Residential 5 Year Commercial
Installation:	Float, Glue-down

This product may be floated over radiant heat.

	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Wide Plank	71 1/4"	5 7/8"	1/4"	12	35.069ft <sup>2</sup>	44lbs	54	16
B. *2-Strip	48 1/4"	7 5/8"	1/4"	12	30.483ft <sup>2</sup>	40lbs	40	24
C. *Narrow Plank	48 1/4"	4 5/8"	1/4"	12	18.730ft <sup>2</sup>	24lbs	60	28

3-Layer Construction: High-grade veneer surface layer.




www.kahrs.com

## EARL GREY

Options s on Plank signs

Wide Plank: LTCLRW3006-150 \*Narrow Plank: LTCLRW3006-118 \*2-Strip: LTCLRW3006-193












Design:	Wide Plank, Narrow Plank, & Strip			
Features:	Oak; Stained; Micro Beveled Edges Designs; Square Edges on 2-Strip l			
Surface Treatment:	Commercial Grade Matte Finish (UV-Cured Acrylic)			
Wear Layer:	Approx. 0.6mm			
Grading:	Calm			
Joint:	Woodloc <sup>®</sup> 5G			
Guarantee:	15 Year Residential 5 Year Commercial			
Installation:	Float, Glue-down			
This product may be floated over radiant heat				

This product may be floated over radiant heat.

	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Wide Plank	71 1/4"	5 7/8"	1/4"	12	35.069ft <sup>2</sup>	44lbs	54	16
B. *2-Strip	48 1/4"	7 5/8"	1/4"	12	30.483ft <sup>2</sup>	40lbs	40	24
C. *Narrow Plank	48 1/4"	4 5/8"	1/4"	12	18.730ft <sup>2</sup>	24lbs	60	28






www.kahrs.com

LIFE COLLECTION | BUTTERSCOTCH | 2-STRIP

## BUTTERSCOTCH

Options es on Plank Designs

Wide Plank: LTCLRW3007-150 \*Narrow Plank: LTCLRW3007-118 \*2-Strip: LTCLRW3007-193



\*Special Order

Design:	Wide Plank, Narrow Plank, & Strip
Features:	Oak; Stained; Micro Beveled Edges Plank Designs; Square Edges on 2- Designs
Surface Treatment:	Commercial Grade Matte Finish (UV-Cured Acrylic)
Wear Layer:	Approx. 0.6mm
Grading:	Calm
Joint:	Woodloc <sup>®</sup> 5G
Guarantee:	15 Year Residential 5 Year Commercial
Installation:	Float, Glue-down
This product r	nay be floated over radiant heat.

	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Wide Plank	71 1/4"	5 7/8"	1/4"	12	35.069ft <sup>2</sup>	44lbs	54	16
B. *2-Strip	48 1/4"	7 5/8"	1/4"	12	30.483ft <sup>2</sup>	40lbs	40	24
C. *Narrow Plank	48 1/4"	4 5/8"	1/4"	12	18.730ft <sup>2</sup>	24lbs	60	28



High-grade veneer surface layer.












## FADED BLACK

o Options es on 2-Strip

Wide Plank: LTCLRW3008-150 \*Narrow Plank: LTCLRW3008-118 \*2-Strip: LTCLRW3008-193



\*Special Order

HDF middle layer.







Design:	Wide Plank, Narrow Plank, & Strip			
Features:	Walnut; Micro Beveled Edges on Pl			
Surface Treatment:	Commercial Grade Matte Finish (UV-Cured Acrylic)			
Wear Layer:	Approx. 0.6mm			
Grading:	Calm			
Joint:	Woodloc <sup>®</sup> 5G			
Guarantee:	15 Year Residential 5 Year Commercial			
Installation:	Float, Glue-down			
This product may be floated over radiant heat.				

	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Wide Plank	71 1/4"	5 7/8"	1/4"	12	35.069ft <sup>2</sup>	44lbs	54	16
B. *2-Strip	48 1/4"	7 5/8"	1/4"	12	30.483ft <sup>2</sup>	40lbs	40	24
C. Narrow Plank	48 1/4"	4 5/8"	1/4"	12	18.730ft <sup>2</sup>	24lbs	60	28

3-Layer Construction: High-grade veneer surface layer.




www.kahrs.com

## PURE WALNUT

Options Plank Designs

Wide Plank: LTCLRW3010-150 Narrow Plank: LTCLRW3010-118 \*2-Strip: LTCLRW3010-193












Design:	Wide Plank, Narrow Plank, & Strip C
Features:	Oak; Stained; Micro Beveled Edges Designs; Square Edges on 2-Strip D
Surface Treatment:	Commercial Grade Matte Finish (UV-Cured Acrylic)
Wear Layer:	Approx. 0.6mm
Grading:	Calm
Joint:	Woodloc <sup>®</sup> 5G
Guarantee:	15 Year Residential 5 Year Commercial
Installation:	Float, Glue-down
This product	, no any log flo atod as your radianat boat

This product may be floated over radiant heat.

	Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
A. Wide Plank	71 1/4"	5 7/8"	1/4"	12	35.069ft <sup>2</sup>	44lbs	54	16
B. *2-Strip	48 1/4"	7 5/8"	1/4"	12	30.483ft <sup>2</sup>	40lbs	40	24
C. *Narrow Plank	48 1/4"	4 5/8"	1/4"	12	18.730ft <sup>2</sup>	24lbs	60	28



High-grade veneer surface layer.




www.kahrs.com

## COCOA BEAN

Options s on Plank Designs

Wide Plank: LTCLRW3011-150 \*Narrow Plank: LTCLRW3011-118 \*2-Strip: LTCLRW3011-193



\*Special Order

