


An animated array of on-trend colors that add and enhance any designer's artistic palette.





OAK CURIO

13106AEKA1KW185

Design: Plank

Features: Oak, Stained, Micro Beveled Edges, Brushed

Surface Treatment: Matte Finish (UV-Cured Acrylic)

Wear Layer: Approx. 3mm

Grading: Lively


Joint: Woodloc® 5G

Guarantee: Lifetime Structural

25 Year Wear Through

Installation: Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
73 1/4"	5"	1/2"	7	17.782ft²	28lbs	63	24



Surface layer: sawn plank.

Solid pine fingers.

Bottom layer of Spruce veneer.





OLLECTION OAK TUFT

Design: Plank

Features: Oak, Stained, Micro Beveled Edges, Brushed

Surface Treatment: Matte Finish (UV-Cured Acrylic)

Wear Layer: Approx. 3mm


Grading: Variation

Joint: Woodloc® 5G

Guarantee: Lifetime Structural 25 Year Wear Through

Installation: Float, Glue-down, Nail-down


This product may be floated over radiant heat.



13106AEK1BKW185

Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
73 1/4"	5"	1/2"	7	17.782ft²	28lbs	63	24







Length

OAK ETCH

Pallets/Cont.

Design: Plank

Features: Rustic Oak, Stained, Micro Beveled Edges, Brushed

Matte Finish (UV-Cured Acrylic) **Surface Treatment:**

> Wear Layer: Approx. 3mm

> > **Grading:** Lively

> > > Woodloc® 5G Joint:


Guarantee: Lifetime Structural

25 Year Wear Through

Installation: Float, Glue-down, Nail-down

This product may be floated over radiant heat.

Width



Ctn/Pallet

Weight

73 1/4"	5"	1/2"	7	17.782ft²	28lbs	63	24



Thickness Boards/Ctn Area



Bottom layer of Spruce veneer.



www.kahrs.com



Design: Plank

Oak, Micro Beveled Edges, Smooth Features:

Surface Treatment: Matte Finish (UV-Cured Acrylic)

> Wear Layer: Approx. 3mm

> > **Grading:** Calm


> > > Woodloc® 5G Joint:

Guarantee: Lifetime Structural

25 Year Wear Through

Installation: Float, Glue-down, Nail-down

This product may be floated over radiant heat.



OAK TAPA

Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
73 1/4"	5"	1/2"	7	17.782ft²	28lbs	63	24



Surface layer: sawn plank. Solid pine fingers.



CLICK TO RETURN TO TABLE OF CONTENTS www.kahrs.com



OAK CARBON

13106AEK1RKW185

Design: Plank

Features: Oak, Stained, Micro Beveled Edges, Brushed

Surface Treatment: Matte Finish (UV-Cured Acrylic)

Wear Layer: Approx. 3mm

Grading: Lively


Joint: Woodloc® 5G

Guarantee: Lifetime Structural

25 Year Wear Through

Installation: Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
73 1/4"	5"	1/2"	7	17.782ft²	28lbs	63	24



Surface layer: sawn plank. Solid pine fingers.

Bottom layer of Spruce veneer.





OAK MOREL | SPECIAL ORDER

13103AEK1IKW185

Design: Plank

Features: Oak, Stained, Micro Beveled Edges, Brushed

Surface Treatment: Matte Finish (UV-Cured Acrylic)

Wear Layer: Approx. 3mm


Grading: Variation

Joint: Woodloc® 5G


Guarantee: Lifetime Structural 25 Year Wear Through

Installation: Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
73 1/4"	5"	1/2"	7	17.782ft²	28lbs	63	24





www.kahrs.com



OAK REITER

13103AEK1UKW185

Design: Plank

Features: Oak, Stained, Micro Beveled Edges, Brushed

Surface Treatment: Matte Finish (UV-Cured Acrylic)

Wear Layer: Approx. 3mm


Grading: Variation

Joint: Woodloc® 5G

Guarantee: Lifetime Structural

25 Year Wear Through
Installation: Float, Glue-down, Nail-down

This product may be floated over radiant heat.





Surface layer: sawn plank. Solid pine fingers.

Bottom layer of Spruce veneer.



www.kahrs.com



Grading:

OAK MUSE

13103AEK1VKW185 **Design:** Plank Oak, Stained, Micro Beveled Edges, Brushed Features: **Surface Treatment:** Matte Finish (UV-Cured Acrylic) Wear Layer: Approx. 3mm


> Woodloc® 5G Joint:

Guarantee: Lifetime Structural 25 Year Wear Through

Variation

Installation: Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
73 1/4"	5"	1/2"	7	17.782ft²	28lbs	63	24



Surface layer: sawn plank. Solid pine fingers. Bottom layer of Spruce veneer.



www.kahrs.com



OAK CADENCE

13103AEK1PKW185

Design: Plank

Features: Oak, Stained, Micro Beveled Edges, Brushed

Surface Treatment: Matte Finish (UV-Cured Acrylic)

Wear Layer: Approx. 3mm


Grading: Variation

Joint: Woodloc® 5G

Guarantee: Lifetime Structural 25 Year Wear Through

Installation: Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
73 1/4"	5"	1/2"	7	17.782ft²	28lbs	63	24



Surface layer: sawn plank.

Solid pine fingers.

Bottom layer of Spruce veneer.





OAK MOSTRA

13106AEK1VKW185

Design: Plank

Features: Oak, Stained, Micro Beveled Edges, Brushed

Surface Treatment: Matte Finish (UV-Cured Acrylic)

Wear Layer: Approx. 3mm

Grading: Lively


Joint: Woodloc® 5G

Guarantee: Lifetime Structural

25 Year Wear Through


Installation: Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
73 1/4"	5"	1/2"	7	17 782ft²	28lhs	63	24







OAK FAWN

13103AEK1KKW185

Design: Plank

Oak, Stained, Micro Beveled Edges, Brushed Features:

Surface Treatment: Matte Finish (UV-Cured Acrylic)

> Wear Layer: Approx. 3mm

> > **Grading:** Variation


> > > Woodloc® 5G Joint:

Guarantee: Lifetime Structural

25 Year Wear Through

Installation: Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
73 1/4"	5"	1/2"	7	17.782ft²	28lbs	63	24



Surface layer: sawn plank. Solid pine fingers.



www.kahrs.com



OAK HENNA

13106AEK1NKW185

Design: Plank

Features: Oak, Stained, Micro Beveled Edges, Brushed

Surface Treatment: Matte Finish (UV-Cured Acrylic)

Wear Layer: Approx. 3mm

Grading: Lively


Joint: Woodloc® 5G

Guarantee: Lifetime Structural

25 Year Wear Through

Installation: Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
73 1/4"	5"	1/2"	7	17.782ft²	28lbs	63	24



Surface layer: sawn plank. Solid pine fingers.

Bottom layer of Spruce veneer.





OAK HEATHER

13106AEK1GKW185

Design: Plank

Features: Oak, Stained, Micro Beveled Edges, Brushed

Surface Treatment: Matte Finish (UV-Cured Acrylic)

Wear Layer: Approx. 3mm

Grading: Lively


Joint: Woodloc® 5G

Guarantee: Lifetime Structural

25 Year Wear Through

Installation: Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
73 1 <i>/4</i> "	5"	1/2"	7	17 782ft ²	28lhs	63	24





www.kahrs.com