


CLICK 5MM COLLECTION



KÄHRS LUXURY TILES **5MM CLICK**

Kährs Luxury Tiles are designed for everyday life. These LVT floors are waterproof, phthalate-free, and durable, made for families, dogs, dirty shoes, and high heels. With a click locking system, sound-reducing backing, and ceramic coating, these Luxury Tiles are easy to install and just as easy to enjoy.





| Design: | Wood Look Plank |
|--------------------|--|
| Surface Treatment: | Ceramic Coating |
| Wear Layer: | 12 mil* |
| Joint: | 5G Click |
| Guarantee: | 5 Year Commercial 25 Year Residential |
| Installation: | Float |

This product may be floated over radiant heat.

*Also available in 6mm format (22 mil wear layer) by special order. Contact a Kährs rep for more information.


| Length | Width | Thickness | Pcs/Ctn | SF/Ctn |
|---------|--------|-----------|---------|--------|
| 47 5/8" | 6 3/4" | 5mm | 10 | 22.39 |



www.kahrs.com

WHINFELL CLW 172

LTCLW2004-172





| Design: | Wood Look Plank |
|--------------------|--|
| Surface Treatment: | Ceramic Coating |
| Wear Layer: | 12 mil* |
| Joint: | 5G Click |
| Guarantee: | 5 Year Commercial 25 Year Residential |
| Installation: | Float |

This product may be floated over radiant heat.

*Also available in 6mm format (22 mil wear layer) by special order. Contact a Kährs rep for more information.

| Length | Width | Thickness | Pcs/Ctn | SF/Ctn |
|---------|--------|-----------|---------|--------|
| 47 5/8" | 6 3/4" | 5mm | 10 | 22.39 |



www.kahrs.com

WENTWOOD CLW 172

LTCLW2007-172





| Design: | Wood Look Plank |
|--------------------|--|
| Surface Treatment: | Ceramic Coating |
| Wear Layer: | 12 mil* |
| Joint: | 5G Click |
| Guarantee: | 5 Year Commercial 25 Year Residential |
| Installation: | Float |

This product may be floated over radiant heat.

*Also available in 6mm format (22 mil wear layer) by special order. Contact a Kährs rep for more information.

| Length | Width |
|---------|--------|
| 47 5/8" | 6 3/4" |



www.kahrs.com

REDWOOD CLW 172

LTCLW2101-172



Thickness Pcs/Ctn SF/Ctn 22.39 10 5mm



| Design: | Wood Look Plank |
|--------------------|--|
| Surface Treatment: | Ceramic Coating |
| Wear Layer: | 12 mil* |
| Joint: | 5G Click |
| Guarantee: | 5 Year Commercial 25 Year Residential |
| Installation: | Float |

This product may be floated over radiant heat.

*Also available in 6mm format (22 mil wear layer) by special order. Contact a Kährs rep for more information.

| Length | Width | Thickness | Pcs/Ctn | SF/Ctn |
|---------|--------|-----------|---------|--------|
| 47 5/8" | 6 3/4" | 5mm | 10 | 22.39 |



www.kahrs.com

YUKON CLW 172

LTCLW2102-172



CLICK TO RETURN TO TABLE OF CONTENTS



| Design: | Wood Look Plank |
|--------------------|--|
| Surface Treatment: | Ceramic Coating |
| Wear Layer: | 12 mil* |
| Joint: | 5G Click |
| Guarantee: | 5 Year Commercial 25 Year Residential |
| Installation: | Float |

This product may be floated over radiant heat.

*Also available in 6mm format (22 mil wear layer) by special order. Contact a Kährs rep for more information.


| Length | Width | Thickness | Pcs/Ctn | SF/Ctn |
|------------|--------|-----------|---------|--------|
| 47 5/8" | 6 3/4" | 5mm | 10 | 22.39 |



SCHWARZWALD CLW 172

LTCLW2104-172





| Design: | Wood Look Plank |
|--------------------|--|
| Surface Treatment: | Ceramic Coating |
| Wear Layer: | 12 mil* |
| Joint: | 5G Click |
| Guarantee: | 5 Year Commercial 25 Year Residential |
| Installation: | Float |

This product may be floated over radiant heat.


*Also available in 6mm format (22 mil wear layer) by special order. Contact a Kährs rep for more information.

| Length | Width | Thickness | Pcs/Ctn | SF/Ctn |
|---------|--------|-----------|---------|--------|
| 47 5/8" | 6 3/4" | 5mm | 10 | 22.39 |



SAXON CLW 172

LTCLW2109-172



CLICK TO RETURN TO TABLE OF CONTENTS



| Design: | Wood Look Plank |
|--------------------|--|
| Surface Treatment: | Ceramic Coating |
| Wear Layer: | 12 mil* |
| Joint: | 5G Click |
| Guarantee: | 5 Year Commercial 25 Year Residential |
| Installation: | Float |

This product may be floated over radiant heat.


*Also available in 6mm format (22 mil wear layer) by special order. Contact a Kährs rep for more information.


| Length | Width | Thickness | Pcs/Ctn | SF/Ctn |
|---------|--------|-----------|---------|--------|
| 47 5/8" | 6 3/4" | 5mm | 10 | 22.39 |



OULANKA CLW 172

LTCLW2110-172





| Design: | Wood Look Plank |
|--------------------|--|
| Surface Treatment: | Ceramic Coating |
| Wear Layer: | 12 mil* |
| Joint: | 5G Click |
| Guarantee: | 5 Year Commercial 25 Year Residential |
| Installation: | Float |

This product may be floated over radiant heat.


*Also available in 6mm format (22 mil wear layer) by special order. Contact a Kährs rep for more information.


| Length | Width | Thickness | Pcs/Ctn | SF/Ctn |
|---------|--------|-----------|---------|--------|
| 47 5/8" | 6 3/4" | 5mm | 10 | 22.39 |



BELLUNO CLW 172

LTCLW2111-172





| Design: | Wood Look Plank, Saw N |
|--------------------|--|
| Surface Treatment: | Ceramic Coating |
| Wear Layer: | 12 mil* |
| Joint: | 5G Click |
| Guarantee: | 5 Year Commercial 25 Year Residential |
| Installation: | Float |
| | |

This product may be floated over radiant heat.

*Also available in 6mm format (22 mil wear layer) by special order. Contact a Kährs rep for more information.

| Length | Width |
|---------|--------|
| 47 5/8" | 6 3/4" |



www.kahrs.com


KANNUR CLW 172

LTCLW2113-172

Marks

5mm

10



Thickness Pcs/Ctn SF/Ctn

22.39



| Design: | Wood Look Plank |
|--------------------|--|
| Surface Treatment: | Ceramic Coating |
| Wear Layer: | 12 mil* |
| Joint: | 5G Click |
| Guarantee: | 5 Year Commercial 25 Year Residential |
| Installation: | Float |

This product may be floated over radiant heat.

*Also available in 6mm format (22 mil wear layer) by special order. Contact a Kährs rep for more information.


| Length | Width | Thickness | Pcs/Ctn | SF/Ctn |
|---------|--------|-----------|---------|--------|
| 47 5/8" | 6 3/4" | 5mm | 10 | 22.39 |



www.kahrs.com

NIAGARA CLW 172

LTCLW2114-172





| Design: | Wood Look Plank |
|--------------------|--|
| Surface Treatment: | Ceramic Coating |
| Wear Layer: | 12 mil* |
| Joint: | 5G Click |
| Guarantee: | 5 Year Commercial 25 Year Residential |
| Installation: | Float |

This product may be floated over radiant heat.

*Also available in 6mm format (22 mil wear layer) by special order. Contact a Kährs rep for more information.


| Length | Width | Thickness | Pcs/Ctn | SF/Ctn |
|---------|--------|-----------|---------|--------|
| 47 5/8" | 6 3/4" | 5mm | 10 | 22.39 |



www.kahrs.com

TAIGA CLW 172

LTCLW2115-172



CLICK TO RETURN TO TABLE OF CONTENTS



| Design: | Wood Look Plank |
|--------------------|--|
| Surface Treatment: | Ceramic Coating |
| Wear Layer: | 12 mil* |
| Joint: | 5G Click |
| Guarantee: | 5 Year Commercial 25 Year Residential |
| Installation: | Float |

This product may be floated over radiant heat.


*Also available in 6mm format (22 mil wear layer) by special order. Contact a Kährs rep for more information.

| Length | Width | Thickness | Pcs/Ctn | SF/Ctn |
|------------|--------|-----------|---------|--------|
| 47 5/8" | 6 3/4" | 5mm | 10 | 22.39 |



SAREK CLW 172

LTCLW2116-172



CLICK TO RETURN TO TABLE OF CONTENTS



| Design: | Stone Look |
|--------------------|--|
| Surface Treatment: | Ceramic Coating |
| Wear Layer: | 12 mil* |
| Joint: | 5G Click |
| Guarantee: | 5 Year Commercial 25 Year Residential |
| Installation: | Float |

This product may be floated over radiant heat.


*Also available in 6mm format (22 mil wear layer) by special order. Contact a Kährs rep for more information.

| Length | Width | Thickness | Pcs/Ctn | SF/Ctn |
|---------|---------|-----------|---------|--------|
| 23 5/8" | 11 3/4" | 5mm | 12 | 23.25 |



MATTERHORN CLS 300-5

LTCLS3004-300-5






| Design: | Stone Look |
|--------------------|--|
| Surface Treatment: | Ceramic Coating |
| Wear Layer: | 12 mil* |
| Joint: | 5G Click |
| Guarantee: | 5 Year Commercial 25 Year Residential |
| Installation: | Float |

This product may be floated over radiant heat.

*Also available in 6mm format (22 mil wear layer) by special order. Contact a Kährs rep for more information.


| Length | Width | Thickness | Pcs/Ctn | SF/Ctn |
|---------|---------|-----------|---------|--------|
| 23 5/8" | 11 3/4" | 5mm | 12 | 23.25 |




www.kahrs.com

STEELE CLS 300-5

LTCLS3006-300-5






| Design: | Stone Look |
|--------------------|--|
| Surface Treatment: | Ceramic Coating |
| Wear Layer: | 12 mil* |
| Joint: | 5G Click |
| Guarantee: | 5 Year Commercial 25 Year Residential |
| Installation: | Float |

This product may be floated over radiant heat.


*Also available in 6mm format (22 mil wear layer) by special order. Contact a Kährs rep for more information.

| Length | Width | Thickness | Pcs/Ctn | SF/Ctn |
|---------|---------|-----------|---------|--------|
| 23 5/8" | 11 3/4" | 5mm | 12 | 23.25 |



MAKALU CLS 300-5

LTCLS3007-300-5






KÄHRS LUXURY TILES 5MM CLICK | STONE DESIGN SCHWARZHORN CLS 300-5

| Design: | Stone Look |
|--------------------|--|
| Surface Treatment: | Ceramic Coating |
| Wear Layer: | 12 mil* |
| Joint: | 5G Click |
| Guarantee: | 5 Year Commercial 25 Year Residential |
| Installation: | Float |

This product may be floated over radiant heat.

*Also available in 6mm format (22 mil wear layer) by special order. Contact a Kährs rep for more information.

| Length | Width | Thickness | Pcs/Ctn | SF/Ctn |
|---------|---------|-----------|---------|--------|
| 23 5/8" | 11 3/4" | 5mm | 12 | 23.25 |



www.kahrs.com

LTCLS3008-300-5

