



A traditional strip look with superior Kährs quality, in a myriad of colors, with both Oak and Ash options.





Features:

# OAK SUPAI

133NABEK5LUW 0

**Design:** 3-Strip

European Oak, Stained, Square Edge, Smooth

**Surface Treatment:** Silk Matte Finish (UV-Cured Acrylic)

> Wear Layer: Approx. 2.5mm

> > **Grading:** Variation

> > > Woodloc® 5G Joint:

Lifetime Structural **Guarantee:** 

25 Year Wear Through


**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.

0E 2/9"	7 7/0"	1 / 2 "	7	26 E00ft2	E Alba	FO	16	
Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	



Surface layer consists of sawn strips. Solid pine fingers.





#### OAK BISBEE

133NABEK5MUW 0

**Design:** 3-Strip

Features: European Oak, Stained, Square Edge, Smooth

Silk Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

> Wear Layer: Approx. 2.5mm

> > **Grading:** Variation

> > > Woodloc® 5G Joint:

Lifetime Structural **Guarantee:** 

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant hea

ar Through down, Nail-dov ed over radiant h						
Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	



3-Layer Construction:

Surface layer consists of sawn strips.

Length

Solid pine fingers.





OAK PIMA

133NABEK7CUW 0

**Design:** 3-Strip

Features: European Oak, Stained, Square Edges, Smooth

**Surface Treatment:** Gloss Finish (UV-Cured Acrylic)

> Wear Layer: Approx. 2.5mm

> > **Grading:** Variation


> > > Woodloc® 5G Joint:

Lifetime Structural **Guarantee:** 

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 3/8"	7 7/8"	1/2"	7	36.598ft <sup>2</sup>	54lbs	50	16



Surface layer consists of sawn strips.

Solid pine fingers.

Bottom layer of Spruce veneer.





#### **OAK LECCO**

133NABEK50KW 0

**Design:** 3-Strip

European Oak, Square Edges, Smooth Features:

Silk Matte Finish (UV-Cured Acrylic) **Surface Treatment:** 

> Wear Layer: Approx. 2.5mm

> > **Grading:** Variation


> > > Woodloc® 5G Joint:

Lifetime Structural **Guarantee:** 

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 3/8"	7 7/8"	1/2"	7	36.598ft <sup>2</sup>	54lbs	50	16



Surface layer consists of sawn strips.

Solid pine fingers.





#### RED OAK NATURE

133NACER50KW 0

**Design:** 3-Strip

Red Oak, Square Edges, Smooth Features:

**Surface Treatment:** Silk Matte Finish (UV-Cured Acrylic)

> Wear Layer: Approx. 2.5mm

> > **Grading:** Variation


> > > Woodloc® 5G Joint:

Lifetime Structural **Guarantee:** 

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.




Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 3/8"	7 7/8"	1/2"	7	36.598ft <sup>2</sup>	54lbs	50	16



Surface layer consists of sawn strips.

Solid pine fingers.





ASH CERIALE

133NACAK1VKW 0

**Design:** 3-Strip

Features: Scandinavian Ash, Stained, Square Edges,

Smooth

**Surface Treatment:** Matte Finish (UV-Cured Acrylic)

**Wear Layer:** Approx. 2.5mm

**Grading:** Variation


Joint: Woodloc® 5G

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	
95 3/8"	7 7/8"	1/2"	7	36.598ft <sup>2</sup>	54lbs	50	16	



Surface layer consists of sawn strips.

Solid pine fingers.





### **ASH VAILA**

**Design:** 3-Strip

Scandinavian Ash, Square Edges, Smooth Features:

**Surface Treatment:** Silk Matte Finish (UV-Cured Acrylic)

> Wear Layer: Approx. 2.5mm


> > **Grading:** Variation

> > > Woodloc® 5G Joint:

Lifetime Structural **Guarantee:** 25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Weight

Ctn/Pallet

95 3/8"	7 7/8"	1/2"	7	36.598ft <sup>2</sup>	54lbs	50	16	
en succession and pass	DESCRIPTION OF THE PROPERTY OF	<b>国海路</b>		WASSERSEE	医第3条第3			2000
				•				
	W 2 20 C C C C C C C C C C C C C C C C C C	C Discount of the last of the						
		1						

Thickness Boards/Ctn Area

3-Layer Construction:

Surface layer consists of sawn strips.


Length

Solid pine fingers.

Bottom layer of Spruce veneer.

133NACAK50KW 0

Pallets/Cont.





#### **EUROPEAN MAPLE GOTHA**

133N18EL50KW 0

**Design:** 3-Strip

European Maple, Square Edges, Smooth Features:

**Surface Treatment:** Silk Matte Finish (UV-Cured Acrylic)

> Wear Layer: Approx. 2.5mm


> > **Grading:** Variation

> > > Woodloc® 5G Joint:

**Guarantee:** Lifetime Structural

25 Year Wear Through

**Installation:** Float, Glue-down, Nail-down



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 3/8"	7 7/8"	1/2"	7	36.598ft <sup>2</sup>	54lbs	50	16



Surface layer consists of sawn strips.

Solid pine fingers.

Bottom layer of Spruce veneer.

