

This collection of engineered Oak floors is designed to let the raw beauty of nature speak for itself. With a focus on maintaining all the inherent features of wood, the design of Texture lies in the natural details and contrasts. Soft saw marks and a matte oil finish further emphasize the naturally occurring design details and enhance the natural character of the material.





TEXTURE GRAU

151200240

Design: Plank

Features: Oak, Brushed, Micro Beveled,

Saw Marks, Smoked

Surface Treatment: Oil


Grading: Expressive

Wear Layer: Approx 3.5mm (1/8")

Joint: Woodloc® 5S Lifetime Structural **Guarantee:**

Installation: Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 1/4"	7 3/8"	5/8"	6	29.279ft ²	49lbs	50	16



Surface layer consists of sawn strips.

Solid pine fingers.

Bottom layer of Spruce veneer.

This product must be oiled immediately after installation and prior to use.



www.kahrs.com



TEXTURE NATUR

151198240

Design: Plank

Oak, Brushed, Micro Beveled, Saw Marks Features:

Surface Treatment: Oil

> **Grading:** Expressive

Approx 3.5mm (1/8") Wear Layer:

> Woodloc® 5S Joint:

Lifetime Structural **Guarantee:**

Installation: Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 1/4"	7 3/8"	5/8"	6	29.279ft²	49lbs	50	16



This product must be oiled immediately after installation and prior to use.



www.kahrs.com



TEXTURE ROHOPTIC

151201240

Design: Plank

Features: Oak, Brushed, Micro Beveled,

Saw Marks, Stained

Surface Treatment: O

Grading: Expressive


Wear Layer: Approx 3.5mm (1/8")

Joint: Woodloc® 5S

Guarantee: Lifetime Structural

Installation: Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.
95 1/4"	7 3/8"	5/8"	6	29.279ft ²	49lbs	50	16



This product must be oiled immediately after installation and prior to use.



www.kahrs.com

CLICK TO RETURN TO TABLE OF CONTENTS



TEXTURE WEISS

151199240

Design: Plank

Oak, Brushed, Micro Beveled, Features:

Saw Marks, Stained

Surface Treatment: Oil


Grading: Expressive

Wear Layer: Approx 3.5mm (1/8")

Joint: Woodloc® 5S Lifetime Structural **Guarantee:**

Installation: Float, Glue-down, Nail-down

This product may be floated over radiant heat.



Length	Width	Thickness	Boards/Ctn	Area	Weight	Ctn/Pallet	Pallets/Cont.	
95 1/4"	7 3/8"	5/8"	6	29.279ft ²	49lbs	50	16	



This product must be oiled immediately after installation and prior to use.



www.kahrs.com